

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations

Issue date:17/04/2015 Revision date:28/08/2025 Supersedes:06/10/2023 Version: 4.3

SDS No: 00156-0029



SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
Product name : TIP TOP CEMENT SVS VULC
Product code : 90008, 90009, 90010, 020004, 020009, 020010, 020011, 020540, 020541, 020542, 020543, 505 0196, 505 4037, 505 4051, 505 9010, 505 9017, 505 9018, 505 9025, 505 9032, 505 9035, 505 9036, 505 9037, 505 9038, 505 9050, 505 9055, 505 9056, 505 9127, 505 9128, 505 9142, 505 9145, 505 9159, 505 9197, 505 9198, 505 9245, 505 9246, 505 9252, 505 9253, 506 0000, 506 0006, 506 0007, 506 0021, 506 0045, 506 0048, 506 0100, 506 0103, 506 0117, 506 0193, 506 0194, 506 0203, 506 0306, 506 0308, 506 0375, 506 0376, 506 0518, 506 0519, 506 0605, 506 0900, 506 0911, 506 0912, 506 1500, 506 4003, 506 4004, 506 4005, 506 4027, 506 4041, 506 4106, 506 4190, 506 4191, 506 4195, 506 4199, 506 4200, 506 4201, 506 4209, 506 4254, 506 4302, 506 4371, 506 4515, 506 4601, 506 8100, 506 9015, 506 9022, 506 9030, 506 9053, 506 9060, 506 9061, 506 9101, 506 9118, 506 9120, 506 9132, 506 9133, 506 9148, 506 9149, 506 9150, 506 9163, 506 9170, 506 9190, 506 9500, 506 9510, 506 9520, 506 9521, 506 9534, 506 9637, 506 9716, 506 9724, 506 9730, 506 9740, 506 9741, 506 9749, 506 9750, 506 9751, 506 9760, 506 9770, 507 0011, 507 0012, 507 0310, 507 0311, 507 0602, 507 0603, 507 9706, 507 9892, 507 9971, 514 8790, 514 8820, 514 8870, 514 8890, 546 2313, 552 3190, 552 3197, 552 3198, 552 3199, 552 4196, 596 4354, 5042, 5042-10, 5054, 5952, 5952-10, 5098-10, 5086, 5087, 5088, 5097, 5098, 5096, 5106, 8823, 8824, S20004, S20009, S20010, S20011, S20515, S20540, S20541

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Adhesive

1.4. Details of manufacturer or importer

Manufacturer

REMA TIP TOP AG
65 Gruber Strasse
Poing 85586
Germany
T +49 (0) 8121 / 707 - 100

info@tiptop.de

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

Importer

REMA TIP TOP Australia Pty Ltd.
3/20 Worth Street
Chullora NSW 2190
Australia
T +61 2 8755 8400

www.rema-tiptop.com.au

1.5. Emergency phone number

Emergency number : +61-280735031, Infotrac/GBK GmbH-ID: 93591

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

| | |
|--|------|
| Flammable liquids, Category 2 | H225 |
| Skin corrosion/irritation, Category 2 | H315 |
| Serious eye damage/eye irritation, Category 2A | H319 |
| Specific target organ toxicity – Single exposure, Category 3, Narcosis | H336 |
| Hazardous to the aquatic environment – Chronic Hazard, Category 2 | H411 |

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Flame

Exclamation
mark

Environment

Signal word (GHS AU) :

Danger

Contains :

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (< 70 %);
Hydrocarbons, C6, iso, < 3% normal hexane (< 25 %)

Hazard statements (GHS AU) :

H225 - Highly flammable liquid and vapour
H315 - Causes skin irritation
H319 - Causes serious eye irritation
H336 - May cause drowsiness or dizziness
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS AU) :

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
No smoking.
P240 - Ground and bond container and receiving equipment.
P241 - Use explosion-proof equipment.
P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 - Wash hands thoroughly after handling.
P271 - Use only outdoors or in a well-ventilated area.
P273 - Avoid release to the environment.
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 - Call a doctor, a POISON CENTER if you feel unwell.
P332+P313 - If skin irritation occurs: Get medical attention.
P337+P313 - If eye irritation persists: Get medical attention.
P391 - Collect spillage.
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P403+P235 - Store in a well-ventilated place. Keep cool.
P405 - Store locked up.
P501 - Dispose of contents and container to an approved waste disposal plant.

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance. Vapours may form explosive mixture with air.

SECTION 3: Composition and information on ingredients

Comments :

Preparation solved in petroleum spirit.

| Name | CAS-No. | % | Classification according to the model Work Health and Safety Regulations (WHS Regulations) |
|---|------------|------|--|
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane | 64742-49-0 | < 70 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

| Name | CAS-No. | % | Classification according to the model Work Health and Safety Regulations (WHS Regulations) |
|---|------------|------------|---|
| Hydrocarbons, C6, iso, < 3% normal hexane | 64742-49-0 | < 25 | Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 |
| N-Cyclohexyl-N-ethylamine | 5459-93-8 | < 2.5 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Aquatic Chronic 3, H412 |
| Other substances (not contributing to the classification of this product) | - | Up to 100% | - |

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

| | |
|---------------------------------------|--|
| First-aid measures general | : Immediately remove contaminated clothing or footwear. In the event of persistent symptoms receive medical treatment. Take affected person away from danger area. Call a poison center or a doctor if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. Move to fresh air in case of accidental inhalation of vapours or decomposition products. Get immediate medical advice/attention. |
| First-aid measures after skin contact | : Get medical advice if skin irritation persists. Treat subsequently with skin cream. Wash off immediately with soap and plenty of water. Rinse skin with water/shower. Take off immediately all contaminated clothing. If skin irritation occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult an eye specialist immediately. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Call a poison center or a doctor if you feel unwell. |

4.2. Symptoms caused by exposure

| | |
|-------------------------------------|--------------------------------------|
| Symptoms/effects after inhalation | : May cause drowsiness or dizziness. |
| Symptoms/effects after skin contact | : Causes skin irritation. |
| Symptoms/effects after eye contact | : Causes eye irritation. |
| Symptoms/effects after ingestion | : Aspiration hazard. |

4.3. Medical attention and special treatment

| | |
|-----------|--------------------------|
| Treatment | : Treat symptomatically. |
|-----------|--------------------------|

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

| | |
|--------------------------------|--|
| Suitable extinguishing media | : Water spray. Dry powder. Foam. Carbon dioxide. |
| Unsuitable extinguishing media | : high volume water jet. |

5.2. Specific hazards arising from the chemical

| | |
|------------------|--|
| Fire hazard | : Highly flammable liquid and vapour. |
| Explosion hazard | : Product is not explosive. Explosive vapour/air mixtures may be formed. |

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

- General measures : In case of vapour formation use adequate respirator. Use explosion-proof equipment. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Ensure adequate ventilation.
- Hazardous decomposition products in case of fire : Thermal decomposition generates : Carbon oxides (CO, CO₂). Nitrogen oxides.

5.3. Special protective equipment and precautions for fire-fighters

- Firefighting instructions : Fight fire from safe distance and protected location.
- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
- Hazchem Code : * 3Y
- Other information : Vapours are heavier than air and may spread along floors. The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : In case of vapour formation use adequate respirator. Use explosion-proof equipment. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Ensure adequate ventilation.

6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do not discharge into drains or the environment.

6.3. Methods and materials for containment and cleaning up

- For containment : Dam up the liquid spill.
- Methods for cleaning up : Take up liquid spill into absorbent material. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Shovel or sweep up and put in a closed container for disposal. Notify authorities if product enters sewers or public waters.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Keep container tightly closed. Vapours are heavier than air and may spread along floors. Use only outdoors or in a well-ventilated area. Avoid contact with skin, eyes and clothing. Keep away from heat and sources of ignition. Do not smoke. Take precautionary measures against static discharge.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Ground/bond container and receiving equipment. Pay attention to explosion protection guidelines.
- Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

No additional information available

8.2. Biological Monitoring

Monitoring methods : A specific exposure sampling method is not available.

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

| Type | Material | Permeation | Thickness (mm) | Penetration | Standard |
|--|----------------------|-------------------|----------------|-------------|------------|
| Chemically resistant protective gloves | Nitrile rubber (NBR) | 6 (> 480 minutes) | ≥0.4 | | EN ISO 374 |

Eye protection : Eyewash bottle with clean water (EN 15154)

| Type | Field of application | Characteristics | Standard |
|-----------------------------|---------------------------|-----------------|----------|
| Protective goggles (EN 166) | Liquid splashes may occur | | EN 166 |

Skin and body protection :

| Type | Standard |
|--------------------------|----------|
| Chemical resistant apron | EN 467 |

Respiratory protection :

| Device | Filter type | Condition | Standard |
|---|--|--|----------|
| Respiratory protective device with a gas filter | Type A - High-boiling (>65 °C) organic compounds | In case of inadequate ventilation wear | EN 14387 |

Environmental exposure controls : Avoid release to the environment.

Other information : Take off contaminated clothing and wash it before reuse. Do not inhale vapour. Wash hands before breaks and at the end of workday. Wash hands immediately after handling the product. Avoid contact with skin, eyes and clothing. Treat subsequently with skin cream. Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

Physical state : Liquid
Appearance : No data available
Colour : Colourless
Odour : Hydrocarbon-like
Odour threshold : No data available
pH : No data available
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Melting point / Freezing point : Melting point: < -50 Hydrocarbons, C6-C7
Boiling point : > 60 °C
Flash point : -25 °C DIN EN ISO 3679
Auto-ignition temperature : 260 °C Hydrocarbons, C6-C7
Flammability : No data available
Vapour pressure : Vapour pressure: 190 hPa @20°C, Hydrocarbons, C6-C7
Relative density : No data available

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

| | |
|-----------------------------|--|
| Density | : Density: 0.72 g/cm ³ @20°C |
| Solubility | : Not miscible. at 20 °C. |
| Log Pow | : No data available |
| Viscosity, kinematic | : 2485 – 2535 mm ² /s @40°C |
| Viscosity, dynamic | : 2900 – 3500 mPa·s |
| Explosive properties | : Product is not explosive. May form flammable/explosive vapour-air mixture. |
| Oxidising properties | : Not oxidising |
| Explosive limits | : No data available |
| Minimum ignition energy | : No data available |
| VOC content | : < 95 % |
| Fat solubility | : No data available |
| Efflux time | : 108 s (6 DIN EN ISO 2431) |
| Solvent separation test (%) | : 0 % |
| Solvent content | : > 90 % |

SECTION 10: Stability and reactivity

| | |
|------------------------------------|--|
| Reactivity | : No decomposition if stored and applied as directed. |
| Chemical stability | : Stable under normal conditions. |
| Possibility of hazardous reactions | : Reactions with oxidizing agents. |
| Conditions to avoid | : Heating can release vapours which can be ignited. Vapour/air-mixtures are explosive at intense warming. To avoid thermal decomposition, do not overheat. |
| Incompatible materials | : Oxidizing agent. |
| Hazardous decomposition products | : An inappropriate handling, for instance major amounts of product combined with strong heat and nitrosating agents, renders possible a cleavage of nitrosamines in traces. Thermal decomposition generates : Carbon oxides (CO, CO ₂). Nitrogen oxides. |

SECTION 11: Toxicological information

| | |
|-----------------------------|---|
| Acute toxicity (oral) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (dermal) | : Not classified (Based on available data, the classification criteria are not met) |
| Acute toxicity (inhalation) | : Not classified (Based on available data, the classification criteria are not met) |

| N-Cyclohexyl-N-ethylamine (5459-93-8) | |
|--|----------------------|
| ATE AU (oral) | 500 mg/kg bodyweight |
| ATE AU (dermal) | 300 mg/kg bodyweight |
| ATE AU (gases) | 4500 ppmv/4h |
| ATE AU (vapours) | 11 mg/l/4h |
| ATE AU (dust,mist) | 1.5 mg/l/4h |

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0) | |
|--|--------------|
| LD50 oral rat | > 2000 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |
| LC50 Inhalation - Rat | > 20 mg/l/4h |

| Hydrocarbons, C6, iso, < 3% normal hexane (64742-49-0) | |
|--|--------------|
| LD50 oral rat | > 2000 mg/kg |
| LD50 dermal rat | > 2000 mg/kg |
| LC50 Inhalation - Rat | > 20 mg/l/4h |

| | |
|-----------------------------------|---|
| Skin corrosion/irritation | : Causes skin irritation. |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Respiratory or skin sensitisation | : Not classified (Based on available data, the classification criteria are not met) |
| Germ cell mutagenicity | : Not classified (Based on available data, the classification criteria are not met) |
| Carcinogenicity | : Not classified (Based on available data, the classification criteria are not met) |

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

Reproductive toxicity : Not classified (Based on available data, the classification criteria are not met)

| N-Cyclohexyl-N-ethylamine (5459-93-8) | |
|--|---|
| Reproductive toxicity | Not classified (Based on available data, the classification criteria are not met) |
| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0) | |
| Reproductive toxicity | Not classified (Based on available data, the classification criteria are not met) |
| Hydrocarbons, C6, iso, < 3% normal hexane (64742-49-0) | |
| Reproductive toxicity | Not classified (Based on available data, the classification criteria are not met) |

STOT-single exposure : May cause drowsiness or dizziness.
STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard : Not classified (Based on available data, the classification criteria are not met).
Potential adverse human health effects and symptoms : High concentration of vapours may induce: headache, nausea, dizziness. A longer or repeated contact may lead to irritation of eyes and mucous membranes. Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product. An inappropriate handling, for instance major amounts of product combined with strong heat and nitrosating agents, renders possible a cleavage of nitrosamines in traces

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general : Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute) : Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.
Other information : Do not flush into surface water or sewer system.

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0) | |
|--|--------------|
| LC50 fish 1 | 1 – 10 mg/l |
| EC50 Daphnia 1 | 1 – 10 mg/l |
| LD50 dermal rat | > 2000 mg/kg |
| LD50 oral rat | > 2000 mg/kg |
| Hydrocarbons, C6, iso, < 3% normal hexane (64742-49-0) | |
| LC50 fish 1 | 1 – 10 mg/l |
| EC50 Daphnia 1 | 1 – 10 mg/l |
| LD50 dermal rat | > 2000 mg/kg |
| LD50 oral rat | > 2000 mg/kg |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

| Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0) | |
|--|-----------------------------|
| Bioaccumulative potential | Potentially bioaccumulable. |

12.4. Mobility in soil

No additional information available

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)
Other adverse effects : Low hazard to waters.

N-Cyclohexyl-N-ethylamine (5459-93-8)

| | |
|------------------------------|-------|
| Fluorinated greenhouse gases | False |
|------------------------------|-------|

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0)

| | |
|------------------------------|-------|
| Fluorinated greenhouse gases | False |
|------------------------------|-------|

Hydrocarbons, C6, iso, < 3% normal hexane (64742-49-0)

| | |
|------------------------------|-------|
| Fluorinated greenhouse gases | False |
|------------------------------|-------|

SECTION 13: Disposal considerations

Waste treatment methods : Can be incinerated according to local regulations. Recycling is preferred to disposal or incineration.
Product/Packaging disposal recommendations : Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product. Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

| ADG | IMDG | IATA |
|---|---|------------------------------------|
| 14.1. UN number | | |
| 1133 | 1133 | 1133 |
| 14.2. UN Proper Shipping Name | | |
| ADHESIVES | ADHESIVES | Adhesives |
| 14.3. Transport hazard class(es) | | |
| 3 | 3 | 3 |
| | | |
| 14.4. Packing group | | |
| III - Substances presenting low danger | III | III |
| 14.5. Environmental hazards | | |
| Dangerous for the environment: Yes | Dangerous for the environment: Yes Marine pollutant: Yes | Dangerous for the environment: Yes |

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

Transport by road and rail

UN-No. (ADG) : 1133
Special provision (ADG) : 223
Limited quantities (ADG) : 5I
Excepted quantities (ADG) : E1
Packing instructions (ADG) : P001, IBC03, LP01
Special packing provisions (ADG) : PP1
Portable tank and bulk container instructions (ADG) : T2
Portable tank and bulk container special provisions (ADG) : TP1

Transport by sea

UN-No. (IMDG) : 1133
Special provisions (IMDG) : 223, 955
Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P001, LP01
Special packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
Stowage category (IMDG) : A

Air transport

UN-No. (IATA) : 1133
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y344
PCA limited quantity max net quantity (IATA) : 10L
PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provisions (IATA) : A3
ERG code (IATA) : 3L

Other applicable information : (Packing group III, if content of packaging ≤ 450l, according 2.2.3.1.4 ADR, RID, ADN)
(Packing group III, if content of packaging ≤ 450l, according 2.3.2.2 IMDG)
(Packing group III, if content of packaging ≤ 30l, according 3.3.3.1.1 IATA)

14.8. Hazchem or Emergency Action Code

Hazchem Code : * 3Y

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS : All the chemicals contained in this product are listed introductions Inventory) status

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Relevant Poisons Schedule number : Schedule 5

Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

| | |
|--|---------------------------|
| New Zealand Inventory of Chemicals (NZIoC) | All substances are listed |
|--|---------------------------|

15.2. International agreements

No additional information available

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

SECTION 16: Other information

Revision date : 28/08/2025

| Abbreviations and acronyms: | |
|-----------------------------|---|
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| ATE | Acute Toxicity Estimate |
| BLV | Biological limit value |
| CAS-No. | Chemical Abstract Service number |
| CLP | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008 |
| DMEL | Derived Minimal Effect level |
| DNEL | Derived-No Effect Level |
| EC50 | Median effective concentration |
| EC-No. | European Community number |
| EN | European Standard |
| IATA | International Air Transport Association |
| IMDG | International Maritime Dangerous Goods |
| LC50 | Median lethal concentration |
| LD50 | Median lethal dose |
| LOAEL | Lowest Observed Adverse Effect Level |
| NOAEC | No-Observed Adverse Effect Concentration |
| NOAEL | No-Observed Adverse Effect Level |
| NOEC | No-Observed Effect Concentration |
| OEL | Occupational Exposure Limit |
| PBT | Persistent Bioaccumulative Toxic |
| PNEC | Predicted No-Effect Concentration |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID | Regulations concerning the International Carriage of Dangerous Goods by Rail |
| SDS | Safety Data Sheet |
| vPvB | Very Persistent and Very Bioaccumulative |
| WGK | Water Hazard Class |

Classification

| | |
|-------------------|------|
| Flam. Liq. 2 | H225 |
| Skin Irrit. 2 | H315 |
| Eye Irrit. 2A | H319 |
| STOT SE 3 | H336 |
| Aquatic Chronic 2 | H411 |

Full text of H-statements

| | |
|-----------------------|-------------------------------------|
| Acute Tox. 3 (Dermal) | Acute toxicity (dermal), Category 3 |
|-----------------------|-------------------------------------|

TIP TOP CEMENT SVS VULC

Safety Data Sheet

according to the WHS Regulations
SDS No: 00156-0029

| Full text of H-statements | |
|---------------------------|--|
| Acute Tox. 4 (Inhalation) | Acute toxicity (inhal.), Category 4 |
| Acute Tox. 4 (Oral) | Acute toxicity (oral), Category 4 |
| Aquatic Chronic 2 | Hazardous to the aquatic environment – Chronic Hazard, Category 2 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment – Chronic Hazard, Category 3 |
| Asp. Tox. 1 | Aspiration hazard, Category 1 |
| Eye Irrit. 2A | Serious eye damage/eye irritation, Category 2A |
| Flam. Liq. 2 | Flammable liquids, Category 2 |
| Flam. Liq. 3 | Flammable liquids, Category 3 |
| Skin Corr. 1B | Skin corrosion/irritation, Category 1B |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| STOT SE 3 | Specific target organ toxicity – Single exposure, Category 3, Narcosis |
| H225 | Highly flammable liquid and vapour |
| H226 | Flammable liquid and vapour |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H311 | Toxic in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H319 | Causes serious eye irritation |
| H332 | Harmful if inhaled |
| H336 | May cause drowsiness or dizziness |
| H411 | Toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.