

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations

Issue date:02/03/2020 Revision date:18/06/2025 Supersedes:23/04/2025 Version: 1.6

SDS No: 00156-0499



### SECTION 1: Product identifier

#### 1.1. GHS Product identifier

Product form : Mixture  
Product name : TIP TOP FIXPASTE REMAREP ULTRA 10 PART B  
Product code : 525 3203, 525 3204, 525 3254, 525 3315

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Conveyor belt repair material

#### 1.4. Details of manufacturer or importer

##### Manufacturer

REMA TIP TOP AG  
65 Gruber Strasse  
Poing 85586  
Germany  
T +49 (0) 8121 / 707 - 100  
[info@tiptop.de](mailto:info@tiptop.de)

E-mail address of competent person responsible for the SDS: [sds@gbk-ingelheim.de](mailto:sds@gbk-ingelheim.de)

##### Importer

REMA TIP TOP Australia Pty Ltd.  
3/20 Worth Street  
Chullora NSW 2190  
Australia  
T +61 2 8755 8400  
[www.rema-tiptop.com.au](http://www.rema-tiptop.com.au)

#### 1.5. Emergency phone number

Emergency number : +61-280735031, Infotrac/GBK GmbH-ID: 93591

### SECTION 2: Hazard identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Serious eye damage/eye irritation, Category 2A	H319
Specific target organ toxicity – Repeated exposure, Category 2	H373
Hazardous to the aquatic environment – Acute Hazard, Category 2	H401
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411

#### 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Exclamation mark    Health hazard    Environment

Signal word (GHS AU) :

Warning

Contains :

diethylmethylbenzenediamine (< 15 %)

Hazard statements (GHS AU) :

H319 - Causes serious eye irritation  
H373 - May cause damage to organs through prolonged or repeated exposure  
H411 - Toxic to aquatic life with long lasting effects

Precautionary statements (GHS AU) :

P260 - Do not breathe vapours.  
P264 - Wash hands thoroughly after handling.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves, protective clothing, eye protection, face protection.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P314 - Get medical attention if you feel unwell.

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

P337+P313 - If eye irritation persists: Get medical attention.  
P391 - Collect spillage.  
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3: Composition and information on ingredients

Comments : Mixture of the substances listed below with nonhazardous additives.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
diethylmethylbenzenediamine	68479-98-1	< 15	Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Oral), H302 STOT RE 2, H373 Eye Irrit. 2A, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Dibutyltin dilaurate	77-58-7	< 0.25	Eye Irrit. 2A, H319 Skin Sens. 1, H317 Muta. 2, H341 Repr. 1B, H360 STOT SE 1, H370 STOT RE 1, H372 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)
Other substances (not contributing to the classification of this product)	-	Up to 100%	-

## SECTION 4: First aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general : Take off immediately all contaminated clothing. In the event of persistent symptoms receive medical treatment. Move the affected person away from the contaminated area.

First-aid measures after inhalation : Move to fresh air in case of accidental inhalation of vapours or decomposition products. In the event of persistent symptoms receive medical treatment.

First-aid measures after skin contact : Immediately rinse with plenty of water (for at least 15 minutes). Get medical advice if skin irritation persists.

First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Consult an eye specialist.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth out with water. Call a physician immediately. Drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice.

### 4.2. Symptoms caused by exposure

Symptoms/effects after eye contact : Causes serious eye irritation.

Chronic symptoms : May cause damage to organs through prolonged or repeated exposure.

### 4.3. Medical attention and special treatment

Treatment : Treat symptomatically.

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray.  
Unsuitable extinguishing media : high volume water jet.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Could burn but do not ignite readily.  
Explosion hazard : Product is not explosive.  
General measures : In case of vapour formation use adequate respirator. Ensure adequate air ventilation.  
Concerning personal protective equipment to use, see section 8.  
Hazardous decomposition products in case of fire : Fire may produce: Carbon oxides (CO, CO<sub>2</sub>). Nitrogen oxides.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location.  
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.  
Hazchem Code : \* 3Z  
Other information : Do not release chemically contaminated water into drains, soil or surface waters. Sufficient measures must be taken to retain water used for extinguishing. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : In case of vapour formation use adequate respirator. Ensure adequate air ventilation.  
Concerning personal protective equipment to use, see section 8.

##### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

##### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

#### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater.

#### 6.3. Methods and materials for containment and cleaning up

For containment : Dam up the liquid spill.  
Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Shovel or sweep up and put in a closed container for disposal.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Keep container tightly closed. Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe vapours.  
Hygiene measures : Do not inhale vapour. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Pay attention to explosion protection guidelines.  
Storage conditions : Keep container tightly closed in a dry, cool and well-ventilated place.

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

Incompatible materials : Incompatible with strong acids and oxidizing agents. Bases.  
Information on mixed storage : Keep away from food, drink and animal feeding stuffs.

### SECTION 8: Exposure controls and personal protection

#### 8.1. Control parameters - exposure standards

No additional information available

#### 8.2. Biological Monitoring

Monitoring methods : A specific exposure sampling method is not available.

#### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

#### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes. This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Eye protection : Eyewash bottle with clean water (EN 15154)

Type	Field of application	Characteristics	Standard
Protective goggles (EN 166)	Liquid splashes may occur		EN 166

Skin and body protection :

Type	Standard
Long sleeved protective clothing	EN ISO 6530

Respiratory protection :

Device	Filter type	Condition	Standard
Respiratory protective device with a gas filter	Type A - High-boiling (>65 °C) organic compounds	In case of inadequate ventilation wear	EN 14387

Environmental exposure controls : Avoid release to the environment.

### SECTION 9: Physical and chemical properties

Physical state : Liquid  
Appearance : Liquid.  
Colour : red Black  
Odour : weak  
Odour threshold : No data available  
pH : No data available  
pH solution : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point / Freezing point : No data available  
Boiling point : > 200 °C  
Flash point : > 200 °C  
Auto-ignition temperature : No data available  
Flammability : No data available  
Vapour pressure : No data available  
Relative density : No data available  
Density : Density: 1.07 – 1.1 g/cm<sup>3</sup> 23 °C  
Solubility : Water: immiscible  
Log Pow : No data available

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

Viscosity, dynamic	: 1000 – 2000 mPa·s 25°C
Explosive properties	: Product is not explosive.
Oxidising properties	: Non oxidizing
Explosive limits	: No data available
Minimum ignition energy	: No data available
VOC content	: < 0 %
Fat solubility	: No data available
Additional information	: Solvent content 0 %

### SECTION 10: Stability and reactivity

Reactivity	: No decomposition if stored and applied as directed.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Reacts with: Strong acids, strong bases and strong oxidants.
Conditions to avoid	: To avoid thermal decomposition, do not overheat.
Incompatible materials	: Strong acids. Oxidizing agent. Bases.
Hazardous decomposition products	: No hazardous decomposition products known. Thermal decomposition generates : Carbon oxides (CO, CO <sub>2</sub> ). Nitrogen oxides.

### SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

<b>diethylmethylbenzenediamine (68479-98-1)</b>	
LD50 oral rat	738 mg/kg
LD50 dermal rat	> 2000 mg/kg
ATE AU (oral)	500 mg/kg bodyweight
ATE AU (dermal)	1100 mg/kg bodyweight

  

<b>Dibutyltin dilaurate (77-58-7)</b>	
LD50 oral rat	45 mg/kg
LD50 dermal rabbit	630 mg/kg

Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met)
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified (Based on available data, the classification criteria are not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Potential adverse human health effects and symptoms	: Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product

### SECTION 12: Ecological information

#### 12.1. Ecotoxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

Other information : Do not flush into surface water or sewer system.

<b>diethylmethybenzenediamine (68479-98-1)</b>	
LD50 dermal rat	> 2000 mg/kg
LD50 oral rat	738 mg/kg
<b>Dibutyltin dilaurate (77-58-7)</b>	
LD50 dermal rabbit	630 mg/kg
LD50 oral rat	45 mg/kg

### 12.2. Persistence and degradability

<b>TIP TOP FIXPASTE REMAREP ULTRA 10 PART B</b>	
Persistence and degradability	Not readily biodegradable
Biodegradation	0 % 28 d, OECD 302 C

### 12.3. Bioaccumulative potential

<b>TIP TOP FIXPASTE REMAREP ULTRA 10 PART B</b>	
Bioaccumulative potential	No data available.

### 12.4. Mobility in soil

<b>TIP TOP FIXPASTE REMAREP ULTRA 10 PART B</b>	
Ecology - soil	No data available.

### 12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)  
Other adverse effects : No additional information available

<b>TIP TOP FIXPASTE REMAREP ULTRA 10 PART B</b>	
Fluorinated greenhouse gases	False

## SECTION 13: Disposal considerations

Waste treatment methods : Recycling is preferred to disposal or incineration. Can be incinerated according to local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

Product/Packaging disposal recommendations : Empty containers should be taken for local recycling, recovery or waste disposal. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Packaging that cannot be cleaned should be disposed of like the product.

## SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

ADG	IMDG	IATA
<b>14.1. UN number</b>		
3082	3082	3082

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

ADG	IMDG	IATA
<b>14.2. UN Proper Shipping Name</b>		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diethylmethylbenzenediamine)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (diethylmethylbenzenediamine)	Environmentally hazardous substance, liquid, n.o.s. (diethylmethylbenzenediamine)
<b>14.3. Transport hazard class(es)</b>		
9	9	9
<b>14.4. Packing group</b>		
III - Substances presenting low danger	III	III
<b>14.5. Environmental hazards</b>		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes

### 14.6. Special precautions for user

Specific storage requirement : No data available  
Shock sensitivity : No data available

### 14.7. Additional information

Other information : No supplementary information available

### Transport by road and rail

UN-No. (ADG) : 3082  
Special provision (ADG) : 274, 331, 335, 375, AU01  
Limited quantities (ADG) : 5I  
Excepted quantities (ADG) : E1  
Packing instructions (ADG) : P001, IBC03, LP01  
Special packing provisions (ADG) : PP1  
Portable tank and bulk container instructions (ADG) : T4  
Portable tank and bulk container special provisions (ADG) : TP1, TP29

### Transport by sea

UN-No. (IMDG) : 3082  
Special provisions (IMDG) : 274, 335, 375, 969  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : LP01, P001  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T4  
Tank special provisions (IMDG) : TP1, TP29  
Stowage category (IMDG) : A

### Air transport

UN-No. (IATA) : 3082  
PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y964  
PCA limited quantity max net quantity (IATA) : 30kgG  
PCA packing instructions (IATA) : 964  
PCA max net quantity (IATA) : 450L

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

CAO packing instructions (IATA) : 964  
CAO max net quantity (IATA) : 450L  
Special provisions (IATA) : A97, A158, A197, A215  
ERG code (IATA) : 9L

### 14.8. Hazchem or Emergency Action Code

Hazchem Code : \* 3Z

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations

#### Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS Inventory) status : All the chemicals contained in this product are listed introductions

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

No additional information available

#### Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

### 15.2. International agreements

No additional information available

## SECTION 16: Other information

Revision date : 18/06/2025

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

### Abbreviations and acronyms:

ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
DOT	Department of Transport
TDG	Transportation of Dangerous Goods
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006
GHS	Globally Harmonized System of Classification, Labelling and Packaging of Chemicals
IARC	International Agency for Research on Cancer
vPvB	Very Persistent and Very Bioaccumulative
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
CAS	CAS (Chemical Abstracts Service) number

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

<b>Abbreviations and acronyms:</b>	
IBC-Code	International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk
ATE	Acute Toxicity Estimate
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008
BCF	Bioconcentration factor
MARPOL 73/78	MARPOL 73/78: International Convention for the Prevention of Pollution From Ships
ADG	Transport of Australian Dangerous Goods
<b>Classification</b>	
Eye Irrit. 2A	H319
STOT RE 2	H373
Aquatic Acute 2	H401
Aquatic Chronic 2	H411
<b>Full text of H-statements</b>	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Acute 2	Hazardous to the aquatic environment – Acute Hazard, Category 2
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Muta. 2	Germ cell mutagenicity, Category 2
Repr. 1B	Reproductive toxicity, Category 1B
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2
STOT SE 1	Specific target organ toxicity – single exposure, Category 1
H302	Harmful if swallowed
H312	Harmful in contact with skin
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H341	Suspected of causing genetic defects
H360	May damage fertility or the unborn child
H370	Causes damage to organs
H372	Causes damage to organs through prolonged or repeated exposure
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

# TIP TOP FIXPASTE REMAREP ULTRA 10 PART B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0499

---

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.