

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations

Issue date:20/02/2017 Revision date:03/05/2023 Supersedes:06/02/2023 Version: 2.6

SDS No: 00156-0113



### SECTION 1: Product identifier

#### 1.1. GHS Product identifier

Product name : TIP TOP FIXPASTE VC4-B  
Product code : 516 9025, 516 9032, 516 9033, 516 9034, 516 9040, 516 9041, 516 9049, 516 9056, 516 9063, 516 9087

#### 1.2. Other means of identification

No additional information available

#### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Filler rubber

#### 1.4. Details of manufacturer or importer

##### Manufacturer

REMA TIP TOP AG  
65 Gruber Strasse  
Poing 85586  
Germany  
T +49 (0) 8121 / 707 - 100  
[info@tiptop.de](mailto:info@tiptop.de)

##### Importer

REMA TIP TOP Australia Pty Ltd.  
3/20 Worth Street  
Chullora NSW 2190  
Australia  
T +61 2 8755 8400  
[www.rema-tiptop.com.au](http://www.rema-tiptop.com.au)

E-mail address of competent person responsible for the SDS: [sds@gbk-ingelheim.de](mailto:sds@gbk-ingelheim.de)

#### 1.5. Emergency phone number

Emergency number : +61-280735031, Infotrac/GBK GmbH-ID: 93591

### SECTION 2: Hazard identification

#### 2.1. Classification of the hazardous chemical

##### Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Flammable liquids, Category 2	H225
Skin corrosion/irritation, Category 2	H315
Serious eye damage/eye irritation, Category 2A	H319
Skin sensitisation, Category 1	H317
Specific target organ toxicity – Single exposure, Category 3, Narcosis	H336
Hazardous to the aquatic environment – Chronic Hazard, Category 1	H410

#### 2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Flame

Exclamation  
mark

Environment

Signal word (GHS AU) :

Danger

Contains :

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (< 25 %);  
Hydrocarbons, C6, iso, < 3% normal hexane (< 10 %); N-Cyclohexyl-N-ethylamine (< 3 %);  
zinc bis(dibutyldithiocarbamate) (< 2,5 %)

Hazard statements (GHS AU) :

H225 - Highly flammable liquid and vapour  
H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

### Precautionary statements (GHS AU)

H336 - May cause drowsiness or dizziness  
H410 - Very toxic to aquatic life with long lasting effects  
: P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P240 - Ground and bond container and receiving equipment.  
P261 - Avoid breathing vapours.  
P264 - Wash hands, forearms and face thoroughly after handling.  
P271 - Use only outdoors or in a well-ventilated area.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P273 - Avoid release to the environment.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water .  
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P312 - Call a doctor, a POISON CENTER if you feel unwell.  
P333+P313 - If skin irritation or rash occurs: Get medical attention.  
P337+P313 - If eye irritation persists: Get medical attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P391 - Collect spillage.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.  
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : Vapours may form explosive mixture with air.

## SECTION 3: Composition and information on ingredients

Comments : Preparation solved in petroleum spirit.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane	64742-49-0	< 25	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Hydrocarbons, C6, iso, < 3% normal hexane	64742-49-0	< 10	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Zinc bis(N-ethyl-N-phenyldithiocarbamate)	14634-93-6	< 10	Not classified
Zinc oxide	1314-13-2	< 5	Aquatic Acute 1, H400 Aquatic Chronic 1, H410

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
N-Cyclohexyl-N-ethylamine	5459-93-8	< 3	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 3 (Dermal), H311 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
zinc bis(dibutylidithiocarbamate)	136-23-2	< 2,5	Eye Irrit. 2A, H319 STOT SE 3, H335 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Other substances (not contributing to the classification of this product)	-	< 40	Not classified

### SECTION 4: First aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures general	: Call a poison center or a doctor if you feel unwell. Remove immediately contaminated clothing. Take affected person away from danger area.
First-aid measures after inhalation	: Get immediate medical advice/attention. Move to fresh air in case of accidental inhalation of vapours or decomposition products.
First-aid measures after skin contact	: Wash off immediately with soap and plenty of water. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Consult an eye specialist immediately. Rinse immediately with plenty of water for 15 minutes. Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth with water, do not induce vomiting, call a doctor. Drink plenty of water. Call a poison center or a doctor if you feel unwell. Call a doctor.

#### 4.2. Symptoms caused by exposure

Symptoms/effects after inhalation	: May cause drowsiness or dizziness.
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.

#### 4.3. Medical attention and special treatment

Treatment	: Treat symptomatically.
-----------	--------------------------

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: high volume water jet.

#### 5.2. Specific hazards arising from the chemical

Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: Product is not explosive. Explosive vapour/air mixtures may be formed.
Hazardous decomposition products in case of fire	: In case of fire: dangerous decomposition products are formed. Carbon monoxide. Carbon dioxide. Sulphur oxides. Nitrogen oxides.

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Fight fire from safe distance and protected location.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code	: * 3YE
Other information	: The vapour/air mixture is explosive, even in empty, uncleaned receptacles. Vapours are heavier than air and may spread along floors. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures	: In case of vapour formation use adequate respirator. Ensure adequate air ventilation. Wear personal protective equipment. Avoid contact with skin, eyes and clothing. No flames, no sparks. Eliminate all sources of ignition.
----------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------

### 6.2. Environmental precautions

Avoid release to the environment. Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.

### 6.3. Methods and materials for containment and cleaning up

For containment	: Collect spillage.
Methods for cleaning up	: Shovel or sweep up and put in a closed container for disposal. Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel).

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling	: Provide local exhaust or general room ventilation. Ensure adequate ventilation. Keep container tightly closed. Vapours are heavier than air and may spread along floors.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures	: Ground/bond container and receiving equipment.
Storage conditions	: Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.
Incompatible materials	: oxidizing materials.
Information on mixed storage	: Keep away from oxidizing agents. Keep away from food, drink and animal feeding stuffs.

## SECTION 8: Exposure controls and personal protection

### 8.1. Control parameters - exposure standards

Zinc oxide (1314-13-2)	
Australia - Occupational Exposure Limits	
Local name	Zinc oxide
OES TWA [1]	5 mg/m <sup>3</sup> fume 10 mg/m <sup>3</sup> dust

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

Zinc oxide (1314-13-2)	
OES STEL	10 mg/m <sup>3</sup> fume
Remark (AU)	Dust: (a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Regulatory reference	Workplace exposure standards for airborne contaminants (2022)

Kaolin	
Australia - Occupational Exposure Limits	
Local name	Kaolin
OES TWA [1]	10 mg/m <sup>3</sup>
Remark (AU)	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Regulatory reference	Workplace exposure standards for airborne contaminants (2022)

### 8.2. Biological Monitoring

Monitoring methods : A specific exposure sampling method is not available.

### 8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

### 8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,4		EN ISO 374

Eye protection : Eyewash bottle with clean water (EN 15154)

Type	Field of application	Characteristics	Standard
Protective goggles (EN 166)	Liquid splashes may occur		EN 166

Skin and body protection :

Type	Standard
Long sleeved protective clothing	EN ISO 6530

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Device	Filter type	Condition	Standard
Respiratory protective device with a gas filter	Type A - High-boiling (>65 °C) organic compounds		EN 14387

Environmental exposure controls : Avoid release to the environment.

Other information : Wash hands immediately after handling the product. Do not eat, drink or smoke in areas where product is used. Take off contaminated clothing and wash it before reuse.

## SECTION 9: Physical and chemical properties

Physical state : Liquid  
Appearance : Pasty.  
Colour : Beige

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

Odour	: Odour threshold is subjective and inadequate to warn of overexposure. Mixture contains one or more component(s) which have the following odour: Odourless No data available on odour Mild odour Aromatic odour
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: Melting point: < -20 °C
Boiling point	: 60 – 95 °C
Flash point	: < -25 °C
Auto-ignition temperature	: 413
Flammability (solid, gas)	: No data available
Vapour pressure	: Vapour pressure: 150 hPa 20°C
Relative density	: No data available
Density	: Density: ≈ 1.04 g/cm <sup>3</sup>
Solubility	: Water: Not miscible
Log Pow	: No data available
Viscosity, kinematic	: > 20.5 mm <sup>2</sup> /s @40°C Flow time >100s, 6 DIN 53211
Viscosity, dynamic	: Not determined
Explosive properties	: Product is not explosive. May form flammable/explosive vapour-air mixture.
Explosive limits	: No data available
Minimum ignition energy	: No data available
VOC content	: < 30 %
Fat solubility	: No data available
Solvent content	: < 30 %
Solvent separation test (%)	: < 3 %

### SECTION 10: Stability and reactivity

Reactivity	: No decomposition if stored normally.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Reacts with oxidants.
Conditions to avoid	: Vapour/air-mixtures are explosive at intense warming. To avoid thermal decomposition, do not overheat. Heating can release vapours which can be ignited.
Incompatible materials	: Strong oxidizing agent.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

#### Zinc oxide (1314-13-2)

LD50 oral rat	> 5000 mg/kg (OECD 401 method)
LD50 oral	5000 mg/kg
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402 method)
LD50 dermal	5000 mg/kg
LC50 Inhalation - Rat	> 5.7 mg/l/4h
LC50 Inhalation - Rat (Dust/Mist)	5.7 mg/l/4h

#### Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l/4h

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

<b>Hydrocarbons, C6, iso, &lt; 3% normal hexane (64742-49-0)</b>	
LD50 oral rat	> 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 20 mg/l/4h
<b>N-Cyclohexyl-N-ethylamine (5459-93-8)</b>	
ATE AU (oral)	500 mg/kg bodyweight
ATE AU (dermal)	300 mg/kg bodyweight
ATE AU (gases)	4500 ppmv/4h
ATE AU (vapours)	11 mg/l/4h
ATE AU (dust,mist)	1.5 mg/l/4h
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: May cause drowsiness or dizziness.
<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt; 3% normal hexane (64742-49-0)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
<b>Hydrocarbons, C6, iso, &lt; 3% normal hexane (64742-49-0)</b>	
STOT-single exposure	May cause drowsiness or dizziness.
<b>zinc bis(dibutyldithiocarbamate) (136-23-2)</b>	
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified.
<b>Zinc oxide (1314-13-2)</b>	
Animal studies and expert judgment for classification	False
<b>Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, &lt; 3% normal hexane (64742-49-0)</b>	
Animal studies and expert judgment for classification	False
<b>Hydrocarbons, C6, iso, &lt; 3% normal hexane (64742-49-0)</b>	
Animal studies and expert judgment for classification	False
<b>zinc bis(dibutyldithiocarbamate) (136-23-2)</b>	
Animal studies and expert judgment for classification	False
<b>N-Cyclohexyl-N-ethylamine (5459-93-8)</b>	
Animal studies and expert judgment for classification	False
<b>Zinc bis(N-ethyl-N-phenyldithiocarbamate) (14634-93-6)</b>	
Animal studies and expert judgment for classification	False
<b>Other substances (not contributing to the classification of this product)</b>	
Animal studies and expert judgment for classification	False

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

Other information : Inhalation may affect the nervous system causing headache, possibly dizziness, nausea, weakness, loss of coordination and unconsciousness. A longer or repeated contact may lead to irritation of eyes and mucous membranes. Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product

### SECTION 12: Ecological information

#### 12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified  
Hazardous to the aquatic environment, long-term (chronic) : Very toxic to aquatic life with long lasting effects.  
Other information : Do not flush into surface water or sewer system.

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0)	
LC50 fish 1	1 – 10 mg/l
EC50 Daphnia 1	1 – 10 mg/l
Hydrocarbons, C6, iso, < 3% normal hexane (64742-49-0)	
LC50 fish 1	1 – 10 mg/l
EC50 Daphnia 1	1 – 10 mg/l

#### 12.2. Persistence and degradability

Zinc oxide (1314-13-2)	
Not rapidly degradable	
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0)	
Persistence and degradability	Readily biodegradable.

#### 12.3. Bioaccumulative potential

Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0)	
Bioaccumulative potential	Potentially bioaccumulable.

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Ozone : Not classified  
Other adverse effects : No additional information available

TIP TOP FIXPASTE VC4-B	
Fluorinated greenhouse gases	False
Zinc oxide (1314-13-2)	
Fluorinated greenhouse gases	False
Hydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, < 3% normal hexane (64742-49-0)	
Fluorinated greenhouse gases	False
Hydrocarbons, C6, iso, < 3% normal hexane (64742-49-0)	
Fluorinated greenhouse gases	False

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

zinc bis(dibutyldithiocarbamate) (136-23-2)	
Fluorinated greenhouse gases	False
N-Cyclohexyl-N-ethylamine (5459-93-8)	
Fluorinated greenhouse gases	False
Zinc bis(N-ethyl-N-phenyldithiocarbamate) (14634-93-6)	
Fluorinated greenhouse gases	False
Other substances (not contributing to the classification of this product)	
Fluorinated greenhouse gases	False

### SECTION 13: Disposal considerations

Waste treatment methods	: Recycling is preferred to disposal or incineration. Can be incinerated according to local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.
Product/Packaging disposal recommendations	: Empty containers should be taken for local recycling, recovery or waste disposal. Packaging that cannot be cleaned should be disposed of like the product. Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.
Additional information	: Flammable vapours may accumulate in the container.

### SECTION 14: Transport information

#### 14.1. UN number

UN-No. (ADG)	: 1133
UN-No. (IMDG)	: 1133
UN-No. (IATA)	: 1133

#### 14.2. UN Proper Shipping Name

Proper Shipping Name (ADG)	: ADHESIVES
Proper Shipping Name (IMDG)	: ADHESIVES
Proper Shipping Name (IATA)	: Adhesives

#### 14.3. Transport hazard class(es)

##### ADG

Transport hazard class(es) (ADG)	: 3
Danger labels (ADG)	: 3
:	:



##### IMDG

Transport hazard class(es) (IMDG)	: 3
Danger labels (IMDG)	: 3
:	:



##### IATA

Transport hazard class(es) (IATA)	: 3
-----------------------------------	-----

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

Danger labels (IATA) : 3  
:



### 14.4. Packing group

Packing group (ADG) : II - Substances presenting medium danger  
Packing group (IMDG) : III  
Packing group (IATA) : III

### 14.5. Environmental hazards

Marine pollutant : Yes  
Dangerous for the environment : Yes  
Other information : No supplementary information available

### 14.6. Special precautions for user

Specific storage requirement : No data available  
Shock sensitivity : No data available

### 14.7. Additional information

Other information : No supplementary information available

### Transport by road and rail

UN-No. (ADG) : 1133  
Limited quantities (ADG) : 5L  
Packing instructions (ADG) : P001, IBC02  
Special packing provisions (ADG) : PP1  
Portable tank and bulk container instructions (ADG) : T4  
Portable tank and bulk container special provisions (ADG) : TP1, TP8

### Transport by sea

UN-No. (IMDG) : 1133  
Special provisions (IMDG) : 223, 955  
Limited quantities (IMDG) : 5 L  
Excepted quantities (IMDG) : E1  
Packing instructions (IMDG) : P001, LP01  
Special packing provisions (IMDG) : PP1  
IBC packing instructions (IMDG) : IBC03  
Tank instructions (IMDG) : T2  
Tank special provisions (IMDG) : TP1  
EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS  
EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS  
Stowage category (IMDG) : A

### Air transport

UN-No. (IATA) : 1133  
PCA Excepted quantities (IATA) : E1  
PCA Limited quantities (IATA) : Y344  
PCA limited quantity max net quantity (IATA) : 10L  
PCA packing instructions (IATA) : 355  
PCA max net quantity (IATA) : 60L  
CAO packing instructions (IATA) : 366  
CAO max net quantity (IATA) : 220L  
Special provisions (IATA) : A3  
ERG code (IATA) : 3L

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

### 14.8. Hazchem or Emergency Action Code

Hazchem Code : \* 3YE

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations specific for the product in question

#### Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS : All the chemicals contained in this product are listed introductions Inventory) status

#### Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Relevant Poisons Schedule number : Labelling requirements for SUSMP do not apply to a poison that is packed and sold solely for industrial, laboratory or manufacturing use. However, this product is labelled in accordance with the Safe Work Australia "Code of Practice" for workplace substances.

### 15.2. International agreements

No additional information available

## SECTION 16: Other information

Abbreviations and acronyms : ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road  
ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
IATA - International Air Transport Association  
IMDG - International Maritime Dangerous Goods  
RID - Regulations concerning the International Carriage of Dangerous Goods by Rail  
DOT - Department of Transport  
TDG - Transportation of Dangerous Goods  
REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006  
GHS - Globally Harmonized System of Classification, Labelling and Packaging of Chemicals  
IARC - International Agency for Research on Cancer  
vPvB - Very Persistent and Very Bioaccumulative  
PBT - Persistent Bioaccumulative Toxic  
PNEC - Predicted No-Effect Concentration  
CAS - CAS (Chemical Abstracts Service) number  
IBC-Code - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
ATE - Acute Toxicity Estimate  
CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008  
BCF - Bioconcentration factor  
MARPOL 73/78 - MARPOL 73/78: International Convention for the Prevention of Pollution From Ships  
ADG - Transport of Australian Dangerous Goods

Revision date : 3/05/2023

Other information : Data of sections 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities. The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge. The delivery specifications are contained in the corresponding product sheet. This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

Classification	
Flam. Liq. 2	H225
Skin Irrit. 2	H315

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

Classification	
Eye Irrit. 2A	H319
Skin Sens. 1	H317
STOT SE 3	H336
Aquatic Chronic 1	H410

Full text of H-statements	
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

# TIP TOP FIXPASTE VC4-B

## Safety Data Sheet

according to the WHS Regulations  
SDS No: 00156-0113

Full text of H-statements	
H412	Harmful to aquatic life with long lasting effects