

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations

Issue date:12/05/2016 Revision date:16/01/2025 Supersedes:21/04/2023 Version: 1.6

SDS No: 00359-1277



SECTION 1: Product identifier

1.1. GHS Product identifier

Product form : Mixture
Product name : REMAFIX 111 COMP. B
Product code : 525 1220, 525 1221, 525 1240, 525 1270

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Recommended use : Leveling compound

1.4. Details of manufacturer or importer

Manufacturer

TIP TOP Oberflächenschutz Elbe GmbH
4 Heuweg
Wittenberg 6886
Germany
T +49(0)3491/635-50 - F +49(0)3491/635-552

Importer

REMA TIP TOP Australia Pty Ltd.
3/20 Worth Street
Chullora NSW 2190
Australia
T +61 2 8755 8400
www.rema-tiptop.com.au

E-mail address of competent person responsible for the SDS: sds@gbk-ingelheim.de

1.5. Emergency phone number

Emergency number : +61-280735031, Infotrac/GBK GmbH-ID: 93591

SECTION 2: Hazard identification

2.1. Classification of the hazardous chemical

Classification according to the model Work Health and Safety Regulations (WHS Regulations)

Skin corrosion/irritation, Category 1B	H314
Serious eye damage/eye irritation, Category 1	H318
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 3	H412

2.2. GHS Label elements, including precautionary statements

Hazard pictograms (GHS AU) :



Corrosion

Exclamation
mark

Signal word (GHS AU) :

Danger

Contains :

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (< 15 %); m-phenylenebis(methylamine) (< 5 %); Salicylic acid (< 3 %); Fatty acids, C18 unsaturated, trimers, reaction products with triethylenetetramine (< 2,5 %); 2,4,6-tris(dimethylaminomethyl)phenol (< 2,5 %)

Hazard statements (GHS AU) :

H314 - Causes severe skin burns and eye damage
H317 - May cause an allergic skin reaction
H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS AU) :

P260 - Do not breathe vapours.
P264 - Wash hands, forearms and face thoroughly after handling.
P272 - Contaminated work clothing should not be allowed out of the workplace.

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

P273 - Avoid release to the environment.
P280 - Wear protective gloves, protective clothing, eye protection, face protection.
P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.
Rinse skin with water .
P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 - Immediately call a POISON CENTER, a doctor.
P333+P313 - If skin irritation or rash occurs: Get medical attention.
P363 - Wash contaminated clothing before reuse.
P405 - Store locked up.
P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition and information on ingredients

Comments : Mixture of the substances listed below with nonhazardous additives.

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Quartz	14808-60-7	< 30	Not classified
benzyl alcohol	100-51-6	≥ 10 – < 15	Acute Tox. 4 (Oral), H302 Eye Irrit. 2A, H319 Skin Sens. 1B, H317
4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine	38294-64-3	< 15	Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Aluminium oxide	1344-28-1	≥ 10 – < 15	Not classified
m-phenylenebis(methylamine)	1477-55-0	< 5	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Salicylic acid	69-72-7	< 3	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 Repr. 2, H361
Titanium dioxide	13463-67-7	< 3	Carc. 2, H351
Fatty acids, C18 unsaturated, trimers, reaction products with triethylenetetramine	162627-18-1	< 2,5	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-methoxy-1-methylethyl acetate	108-65-6	< 2,5	Flam. Liq. 3, H226
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	< 2,5	Acute Tox. 4 (Oral), H302 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1B, H317

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

Name	CAS-No.	%	Classification according to the model Work Health and Safety Regulations (WHS Regulations)
Other substances (not contributing to the classification of this product)	-	Up to 100%	-

Comments : Note 10 : The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter $\leq 10 \mu\text{m}$.

SECTION 4: First aid measures

4.1. Description of necessary first-aid measures

First-aid measures general : Take off immediately all contaminated clothing. Call a physician immediately.
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. Apply artificial respiration if breathing stopped. Administer oxygen if breathing is difficult. In the event of symptoms refer for medical treatment.
First-aid measures after skin contact : Rinse skin with water/shower. Call a physician immediately.
First-aid measures after eye contact : Rinse immediately with plenty of water, also under the eyelids. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an eye specialist.
First-aid measures after ingestion : Do not induce vomiting. Rinse mouth. Drink plenty of water. Never give anything by mouth to an unconscious person. Call a physician immediately. Do not induce vomiting without medical advice.

4.2. Symptoms caused by exposure

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.
Symptoms/effects after eye contact : Serious damage to eyes.
Symptoms/effects after ingestion : Burns.

4.3. Medical attention and special treatment

Treatment : Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media : high volume water jet.

5.2. Specific hazards arising from the chemical

Fire hazard : Non flammable.
Explosion hazard : Product is not explosive.
General measures : In case of vapour formation use adequate respirator. Ensure adequate air ventilation. Concerning personal protective equipment to use, see section 8.
Hazardous decomposition products in case of fire : Nitrous gasses. Carbon monoxide. Carbon dioxide.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Fight fire from safe distance and protected location.
Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
Hazchem Code : 2X
Other information : Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- General measures : In case of vapour formation use adequate respirator. Ensure adequate air ventilation. Concerning personal protective equipment to use, see section 8.
- 6.1.1. For non-emergency personnel**
- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe vapours.
- 6.1.2. For emergency responders**
- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and materials for containment and cleaning up

- For containment : Dike and contain spill.
- Methods for cleaning up : Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Shovel or sweep up and put in a closed container for disposal. Clean contaminated surface thoroughly.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Keep container tightly closed. Avoid contact with skin and eyes. Do not breathe vapours. Wear personal protective equipment.
- Hygiene measures : Do not inhale vapour. Always wash hands after handling the product. Do not eat, drink or smoke when using this product. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace.

7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up.
- Incompatible materials : oxidizing materials. Amines. Acids. Bases.
- Information on mixed storage : Keep away from food, drink and animal feeding stuffs.
- Special rules on packaging : Do not use zinc, aluminium or copper containers.

SECTION 8: Exposure controls and personal protection

8.1. Control parameters - exposure standards

Aluminium oxide (1344-28-1)	
Australia - Occupational Exposure Limits	
Local name	Aluminium oxide (alpha-Alumina (Al ₂ O ₃))
OES TWA	10 mg/m ³
Remark (AU)	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Regulatory reference	Workplace exposure standards for airborne contaminants (2024)
m-phenylenebis(methylamine) (1477-55-0)	
Australia - Occupational Exposure Limits	
Local name	m-Xylene-alpha,alpha'-diamine (m-Xylylendiamine; 1,3-Benzenedimethanamine)

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

m-phenylenebis(methylamine) (1477-55-0)	
OES C	0.1 mg/m ³
Remark (AU)	Sk - Absorption through the skin may be a significant source of exposure.
Regulatory reference	Workplace exposure standards for airborne contaminants (2024)

Titanium dioxide (13463-67-7)	
Australia - Occupational Exposure Limits	
Local name	Titanium dioxide
OES TWA	10 mg/m ³
Remark (AU)	(a) This value is for inhalable dust containing no asbestos and < 1% crystalline silica.
Regulatory reference	Workplace exposure standards for airborne contaminants (2024)

2-methoxy-1-methylethyl acetate (108-65-6)	
Australia - Occupational Exposure Limits	
Local name	1-Methoxy-2-propanol acetate
OES TWA	274 mg/m ³
	50 ppm
OES STEL	548 mg/m ³
	100 ppm
Remark (AU)	Sk - Absorption through the skin may be a significant source of exposure.
Regulatory reference	Workplace exposure standards for airborne contaminants (2024)

8.2. Biological Monitoring

Monitoring methods : A specific exposure sampling method is not available.

8.3. Engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

8.4. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions. Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves. Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>

Type	Material	Permeation	Thickness (mm)	Penetration	Standard
Chemically resistant protective gloves	Nitrile rubber, Nitrile/cotton, Butyl rubber, Neoprene	6 (> 480 minutes)	0,7		

Eye protection : Eyewash bottle with clean water (EN 15154)

Type	Field of application	Characteristics	Standard
Protective goggles (EN 166)	Liquid splashes may occur		EN 166

Skin and body protection :

Type	Standard
Long sleeved protective clothing	EN ISO 6530

Respiratory protection : Wear suitable respiratory equipment in case of insufficient ventilation

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

Device	Filter type	Condition	Standard
Respiratory protective device with a gas filter	Type A - High-boiling (>65 °C) organic compounds		EN 14387

Environmental exposure controls : Avoid release to the environment.

SECTION 9: Physical and chemical properties

Physical state	: Liquid
Appearance	: Pasty.
Colour	: White
Odour	: characteristic
Odour threshold	: No data available
pH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Melting point / Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 100 °C
Auto-ignition temperature	: No data available
Flammability	: No data available
Vapour pressure	: No data available
Relative density	: No data available
Density	: Density: 1.9 g/cm ³ @ 20 °C
Solubility	: Water: Not miscible
Log Pow	: No data available
Viscosity, dynamic	: Pasty
Explosive properties	: No data available
Explosive limits	: No data available
Minimum ignition energy	: No data available
VOC content	: 0 % VOC Directive 2004/42/EC - Decorative paints and varnishes
Fat solubility	: No data available

SECTION 10: Stability and reactivity

Reactivity	: No decomposition if stored normally.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Reacts with: Acids. oxidizing materials. alkalis. Amines.
Conditions to avoid	: To avoid thermal decomposition, do not overheat. Keep out of direct sunlight.
Incompatible materials	: Oxidizing agent. Amines. acids and bases.
Hazardous decomposition products	: Thermal decomposition generates : No hazardous decomposition products known. Carbon oxides (CO, CO ₂). Ammonia. Nitrous fumes.

SECTION 11: Toxicological information

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

benzyl alcohol (100-51-6)	
ATE AU (oral)	500 mg/kg bodyweight
m-phenylenebis(methylamine) (1477-55-0)	
ATE AU (oral)	500 mg/kg bodyweight
ATE AU (gases)	4500 ppmv/4h
ATE AU (vapours)	11 mg/l/4h
ATE AU (dust,mist)	1.5 mg/l/4h

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

Salicylic acid (69-72-7)	
ATE AU (oral)	500 mg/kg bodyweight
2-methoxy-1-methylethyl acetate (108-65-6)	
LD50 oral rat	> 5000 mg/kg
LD50 oral	13700 mg/kg
LD50 dermal rat	> 2000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LD50 dermal	5000 mg/kg
LC50 Inhalation - Rat	35.7 mg/l/4h
2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)	
LD50 oral	1000 mg/kg
LD50 dermal	1280 mg/kg
ATE AU (oral)	500 mg/kg bodyweight

Skin corrosion/irritation	: Causes severe skin burns.
Serious eye damage/irritation	: Causes serious eye damage.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)

SECTION 12: Ecological information

12.1. Ecotoxicity

Ecology - general	: Harmful to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified (Based on available data, the classification criteria are not met)
Hazardous to the aquatic environment, long-term (chronic)	: Harmful to aquatic life with long lasting effects.
Other information	: Do not discharge into surface water. Prevent product from entering drains.

2-methoxy-1-methylethyl acetate (108-65-6)	
LC50 fish 1	> 100 mg/l
EC50 - Other aquatic organisms [1]	> 500 mg/l
Log Pow	1.2

12.2. Persistence and degradability

REMAFIX 111 COMP. B	
Persistence and degradability	Not readily biodegradable

12.3. Bioaccumulative potential

REMAFIX 111 COMP. B	
Bioaccumulative potential	No data available.

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

2-methoxy-1-methylethyl acetate (108-65-6)	
Log Pow	1.2

12.4. Mobility in soil

REMAFIX 111 COMP. B	
Ecology - soil	No data available.

2-methoxy-1-methylethyl acetate (108-65-6)	
Log Pow	1.2

12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)
Other adverse effects : Significantly hazardous to water.

REMAFIX 111 COMP. B	
Fluorinated greenhouse gases	False

Quartz (14808-60-7)	
Fluorinated greenhouse gases	False

benzyl alcohol (100-51-6)	
Fluorinated greenhouse gases	False

4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine (38294-64-3)	
Fluorinated greenhouse gases	False

Aluminium oxide (1344-28-1)	
Fluorinated greenhouse gases	False

m-phenylenebis(methylamine) (1477-55-0)	
Fluorinated greenhouse gases	False

Salicylic acid (69-72-7)	
Fluorinated greenhouse gases	False

Titanium dioxide (13463-67-7)	
Fluorinated greenhouse gases	False

Fatty acids, C18 unsaturated, trimers, reaction products with triethylenetetramine (162627-18-1)	
Fluorinated greenhouse gases	False

2-methoxy-1-methylethyl acetate (108-65-6)	
Fluorinated greenhouse gases	False

2,4,6-tris(dimethylaminomethyl)phenol (90-72-2)	
Fluorinated greenhouse gases	False

SECTION 13: Disposal considerations

Waste treatment methods : Recycling is preferred to disposal or incineration. Can be incinerated according to local regulations. Dispose of contents/container in accordance with licensed collector's sorting instructions.

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

Product/Packaging disposal recommendations : Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse. Empty containers should be taken for local recycling, recovery or waste disposal. Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

In accordance with ADG / IMDG / IATA

ADG	IMDG	IATA
14.1. UN number		
2735	2735	2735
14.2. UN Proper Shipping Name		
AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)	AMINES, LIQUID, CORROSIVE, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)	Amines, liquid, corrosive, n.o.s. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, reaction products with 3-aminomethyl-3,5,5-trimethylcyclohexylamine)
14.3. Transport hazard class(es)		
8	8	8
		
14.4. Packing group		
III - Substances presenting low danger	II	II
14.5. Environmental hazards		
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No

14.6. Special precautions for user

Specific storage requirement : No data available
Shock sensitivity : No data available

14.7. Additional information

Other information : No supplementary information available

Transport by road and rail

UN-No. (ADG) : 2735
Special provision (ADG) : 223, 274
Limited quantities (ADG) : 5l
Packing instructions (ADG) : P001, IBC03, LP01
Portable tank and bulk container instructions (ADG) : T7
Portable tank and bulk container special provisions (ADG) : TP1, TP28

Transport by sea

UN-No. (IMDG) : 2735
Special provisions (IMDG) : 274
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

Tank instructions (IMDG) : T11
Tank special provisions (IMDG) : TP1, TP27
Stowage category (IMDG) : A
Segregation (IMDG) : SGG18, SG35

Air transport

UN-No. (IATA) : 2735
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net quantity (IATA) : 0.5L
PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provisions (IATA) : A3, A803
ERG code (IATA) : 8L

14.8. Hazchem or Emergency Action Code

Hazchem Code : 2X

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations

Australian Industrial Chemicals Introduction Scheme (AICIS)

Australian Inventory of Industrial Chemicals (AICIS Inventory) status : Contains substance(s) listed on Australian Industrial Chemicals Introduction Scheme (AICIS Inventory)
Australian Inventory of Industrial Chemicals (AICIS Inventory) status : All the chemicals contained in this product are listed introductions

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP)

Relevant Poisons Schedule number : Labelling requirements for SUSMP do not apply to a poison that is packed and sold solely for industrial, laboratory or manufacturing use. However, this product is labelled in accordance with the Safe Work Australia "Code of Practice" for workplace substances.

Australian Pesticides and Veterinary Medicines Authority (APVMA)

No additional information available

15.2. International agreements

No additional information available

SECTION 16: Other information

Revision date : 16/01/2025

Classification	
Skin Corr. 1B	H314
Eye Dam. 1	H318
Skin Sens. 1	H317
Aquatic Chronic 3	H412

Full text of H-statements

Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4

REMAFIX 111 COMP. B

Safety Data Sheet

according to the WHS Regulations
SDS No: 00359-1277

Full text of H-statements	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Carc. 2	Carcinogenicity, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Flam. Liq. 3	Flammable liquids, Category 3
Repr. 2	Reproductive toxicity, Category 2
Skin Corr. 1B	Skin corrosion/irritation, Category 1B
Skin Corr. 1C	Skin corrosion/irritation, Category 1C
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should therefore not be construed as guaranteeing any specific property of the product.