





## Safety Data Sheet

according to UK REACH Regulation

### Asplit® HB Powder

Revision date: 10.09.2024

Product code: 00359-1161

Page 2 of 9

#### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Chemical characterization

Mixture of the following substances with non-hazardous admixtures

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
14808-60-7	Quartz			< 5 %
	231-545-4			
	STOT RE 1; H372			

Full text of H and EUH statements: see section 16.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### General information

Remove and wash contaminated clothing before re-use.

##### After inhalation

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
In the event of symptoms refer for medical treatment.

##### After contact with skin

No specific precautions required.

##### After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
If eye irritation persists, consult a specialist.

##### After ingestion

In the event of symptoms refer for medical treatment.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause damage to organs through prolonged or repeated exposure. [lung]  
When dust is produced, slight irritations of eyes and mucous membranes are possible.  
Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

##### Unsuitable extinguishing media

Full water jet

#### 5.2. Special hazards arising from the substance or mixture

No data available



## Safety Data Sheet

according to UK REACH Regulation

### Asplit® HB Powder

Revision date: 10.09.2024

Product code: 00359-1161

Page 3 of 9

#### **5.3. Advice for firefighters**

In case of fire, wear suitable respiratory equipment with positive air supply.  
Protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Ensure adequate ventilation.  
Keep away noninvolved persons.

##### **For non-emergency personnel**

Do not breathe dust.  
Avoid contact with skin, eyes and clothing.

##### **For emergency responders**

In case of respirable dust, use a self-contained breathing apparatus.  
Use personal protective clothing.

#### **6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.

#### **6.3. Methods and material for containment and cleaning up**

##### **For containment**

No special measures required.

##### **For cleaning up**

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.  
Where possible recycling is preferred to disposal.

#### **6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).  
Information for disposal see section 13.

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

Keep container tightly closed.  
Avoid the formation and deposition of dust.  
Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

##### **Advice on protection against fire and explosion**

No special protective measures against fire required.

##### **Advice on general occupational hygiene**

Do not breathe dust.  
Wash hands before breaks and at the end of workday.  
When using do not eat, drink or smoke.  
Remove and wash contaminated clothing before re-use.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed in a dry, cool and well-ventilated place.

##### **Hints on joint storage**

No materials to be especially mentioned.

**Safety Data Sheet**

according to UK REACH Regulation

**Asplit® HB Powder**

Revision date: 10.09.2024

Product code: 00359-1161

Page 4 of 9

**Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

**7.3. Specific end use(s)**

filler

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

Obey TLV for common dust, if applicable.

**8.2. Exposure controls****Appropriate engineering controls**

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

**Individual protection measures, such as personal protective equipment****Eye/face protection**

Safety goggles with side protection (EN 166).

**Hand protection**

Chemical protective gloves made of nitrile, nitrile/cotton, butyl or neoprene, with a minimum thickness of 0.7 mm, permeation time of approx. 480 minutes.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Pls. find examples in the protective gloves database under: <http://bestglove.com/site/chemrest/>**Skin protection**

Long sleeved clothing (DIN EN ISO 6530)

**Respiratory protection**

Dust mask (EN 149)

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Powder
Colour:	Various
Odour:	Odourless

**Changes in the physical state**

Melting point/freezing point:	n.d.
Boiling point or initial boiling point and boiling range:	n.d.
Sublimation point:	n.a.
Softening point:	n.d.
Flash point:	n.a.

**Flammability**

Solid/liquid: Not combustible

**Explosive properties**

The product is not explosive.

Lower explosion limits:	n.a.
Upper explosion limits:	n.a.

**Safety Data Sheet**

according to UK REACH Regulation

**Asplit® HB Powder**

Revision date: 10.09.2024

Product code: 00359-1161

Page 5 of 9

Auto-ignition temperature:	n.a.
<b>Self-ignition temperature</b>	
Solid:	The product is not self-igniting
Gas:	n.a.
Decomposition temperature:	n.d.
pH-Value:	n.d.
Viscosity / dynamic:	n.a.
Viscosity / kinematic:	n.a.
Flow time:	n.a.
Water solubility: (at 20 °C)	More or less insoluble
<b>Solubility in other solvents</b>	
n.d.	
Partition coefficient n-octanol/water:	n.a.
Vapour pressure:	n.a.
Density (at 20 °C):	~ 1,15 g/cm <sup>3</sup>
Bulk density:	n.d.
Relative vapour density:	n.a.

**9.2. Other information****Information with regard to physical hazard classes**

Sustaining combustion:	Not sustaining combustion
Oxidizing properties	
Not oxidising.	

**Other safety characteristics**

Solvent separation test:	0 %
Solvent content:	0 %
Solid content:	100 %
Evaporation rate:	n.a.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No decomposition if stored and applied as directed.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

No hazardous reactions known.

**10.4. Conditions to avoid**

Not known.

**10.5. Incompatible materials**

No materials to be especially mentioned.

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation**

**Safety Data Sheet**

according to UK REACH Regulation

**Asplit® HB Powder**

Revision date: 10.09.2024

Product code: 00359-1161

Page 6 of 9

**Acute toxicity**

Based on available data, the classification criteria are not met.  
No toxicological data available.

**ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

**Irritation and corrosivity**

Skin corrosion/irritation: Based on available data, the classification criteria are not met.  
Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Germ cell mutagenicity: Based on available data, the classification criteria are not met.  
Carcinogenicity: Based on available data, the classification criteria are not met.  
Reproductive toxicity: Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

May cause damage to organs through prolonged or repeated exposure. (Quartz )

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

**11.2. Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**

When dust is produced, slight irritations of eyes and mucous membranes are possible.  
Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough.

**SECTION 12: Ecological information****12.1. Toxicity**

Ecological data are not available.

**12.2. Persistence and degradability**

No data available

**12.3. Bioaccumulative potential**

No data available

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Low hazard to waters.

**Further information**

Do not flush into surface water or sanitary sewer system.



## Safety Data Sheet

according to UK REACH Regulation

### Asplit® HB Powder

Revision date: 10.09.2024

Product code: 00359-1161

Page 7 of 9

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

It must undergo special treatment, e.g. at suitable disposal site, to comply with local regulations.  
Where possible recycling is preferred to disposal.

#### List of Wastes Code - residues/unused products

080299 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of other coatings (including ceramic materials); wastes not otherwise specified

#### Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.  
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.  
Packaging that cannot be cleaned should be disposed of like the product.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

<b>14.1. UN number or ID number:</b>	No dangerous good in sense of this transport regulation.
<b>14.2. UN proper shipping name:</b>	No dangerous good in sense of this transport regulation.
<b>14.3. Transport hazard class(es):</b>	No dangerous good in sense of this transport regulation.
<b>14.4. Packing group:</b>	No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

**Safety Data Sheet**

according to UK REACH Regulation

**Asplit® HB Powder**

Revision date: 10.09.2024

Product code: 00359-1161

Page 8 of 9

Directive 2004/42/EC on VOC in paints and varnishes: 0 %  
Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 2,4,6,7,9,11,12.

**Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
IMDG = International Maritime Code for Dangerous Goods  
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization  
MARPOL = International Convention for the Prevention of Pollution from Ships  
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals  
CAS = Chemical Abstract Service  
EN = European norm  
ISO = International Organization for Standardization  
DIN = Deutsche Industrie Norm  
PBT = Persistent Bioaccumulative and Toxic  
vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose  
LC = Lethal concentration  
EC = Effect concentration  
IC = Median immobilisation concentration or median inhibitory concentration

**Classification for mixtures and used evaluation method according to GB CLP Regulation**

Classification	Classification procedure
STOT RE 2; H373	Calculation method

**Relevant H and EUH statements (number and full text)**

H372 Causes damage to organs through prolonged or repeated exposure.  
H373 May cause damage to organs (lung) through prolonged or repeated exposure if inhaled.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.



## Safety Data Sheet

according to UK REACH Regulation

### Asplit® HB Powder

Revision date: 10.09.2024

Product code: 00359-1161

Page 9 of 9

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*